

# SAFETY DATA SHEET

## 1. Identification

**Product identifier** 11 OZ 0308-NL79211 BELT DRESSING NL 12PK

### Other means of identification

**Product code** 1000013573

**Recommended use** coating

**Recommended restrictions** None known.

### Manufacturer/Importer/Supplier/Distributor information

#### Manufacturer

**Company name** IMPROVED CHEMICAL LTD.

**Address** 5762 Highway 7 East  
Markham, Ontario L3P 7Y4  
Canada

**Telephone** General Assistance 1-416-877-4516

**E-mail** Not available.

**Emergency phone number** Emergency - Outside US 1-952-852-4646  
Emergency - US 1-866-836-8855

**Supplier** Not available.

## 2. Hazard(s) identification

**Physical hazards** Flammable aerosols Category 1

**Health hazards** Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 2A

Germ cell mutagenicity Category 2

Carcinogenicity Category 1B

Specific target organ toxicity, single exposure Category 3 narcotic effects

### Label elements



**Signal word** Danger

**Hazard statement** Extremely flammable aerosol. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. Suspected of causing genetic defects. May cause cancer.

### Precautionary statement

#### Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid breathing gas. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.

#### Response

IF ON SKIN: Wash with plenty of water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. Call a POISON CENTER/doctor if you feel unwell. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.

#### Storage

Store in a well-ventilated place. Keep container tightly closed. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

#### Disposal

Dispose of waste and residues in accordance with local authority requirements.

### Other hazards

None known.

### Supplemental information

None.

### 3. Composition/information on ingredients

#### Mixtures

| Chemical name                            | Common name and synonyms | CAS number | %       |
|--|--------------------------|------------|---------|
| Trichloroethylene                        |                          | 79-01-6    | 30 - 60 |
| 1,2-Butylene Oxide                       |                          | 106-88-7   | 0.1 - 1 |
| Other components below reportable levels |                          |            | 40 - 70 |

All concentrations are in percent by weight (kg) unless ingredient is a gas. Gas concentrations are in percent by volume (l).

### 4. First-aid measures

|   |   |
|---|---|
| <b>Inhalation</b>   | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.   |
| <b>Skin contact</b>   | Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.   |
| <b>Eye contact</b>  | Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.   |
| <b>Ingestion</b>  | In the unlikely event of swallowing contact a physician or poison control center. Rinse mouth.  |
| <b>Most important symptoms/effects, acute and delayed</b>                     | May cause drowsiness and dizziness. Headache. Nausea, vomiting. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.  |
| <b>Indication of immediate medical attention and special treatment needed</b> | Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.  |
| <b>General information</b>  | IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. |

### 5. Fire-fighting measures

|  |  |
|--|--|
| <b>Suitable extinguishing media</b>                                  | Powder. Carbon dioxide (CO2).  |
| <b>Unsuitable extinguishing media</b>                                | Do not use water jet as an extinguisher, as this will spread the fire.   |
| <b>Specific hazards arising from the chemical</b>                    | Contents under pressure. Pressurized container may explode when exposed to heat or flame. During fire, gases hazardous to health may be formed.  |
| <b>Special protective equipment and precautions for firefighters</b> | Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.   |
| <b>Fire fighting equipment/instructions</b>                          | Move containers from fire area if you can do so without risk. Containers should be cooled with water to prevent vapor pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out. |
| <b>Specific methods</b>  | Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. In the event of fire and/or explosion do not breathe fumes.   |
| <b>General fire hazards</b>  | Extremely flammable aerosol.   |

### 6. Accidental release measures

|  |  |
|--|--|
| <b>Personal precautions, protective equipment and emergency procedures</b> | Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing gas. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.   |
| <b>Methods and materials for containment and cleaning up</b>               | Refer to attached safety data sheets and/or instructions for use. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Isolate area until gas has dispersed. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.<br><br>Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. For waste disposal, see section 13 of the SDS. |
| <b>Environmental precautions</b>   | Avoid discharge into drains, water courses or onto the ground.   |

## 7. Handling and storage

### Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Do not re-use empty containers. Avoid breathing gas. Avoid contact with eyes, skin, and clothing. Should be handled in closed systems, if possible. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

### Conditions for safe storage, including any incompatibilities

Level 2 Aerosol.

Store locked up. Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122 °F. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/personal protection

### Occupational exposure limits

#### US. ACGIH Threshold Limit Values

| Components                      | Type | Value  |
|---------------------------------|------|--------|
| Trichloroethylene (CAS 79-01-6) | STEL | 25 ppm |
|                                 | TWA  | 10 ppm |

#### Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)

| Components                      | Type | Value     |
|---------------------------------|------|-----------|
| Trichloroethylene (CAS 79-01-6) | STEL | 537 mg/m3 |
|                                 | TWA  | 100 ppm   |
|                                 |      | 269 mg/m3 |
|                                 |      | 50 ppm    |

#### Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

| Components                      | Type | Value  |
|---------------------------------|------|--------|
| Trichloroethylene (CAS 79-01-6) | STEL | 25 ppm |
|                                 | TWA  | 10 ppm |

#### Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)

| Components                      | Type | Value  |
|---------------------------------|------|--------|
| Trichloroethylene (CAS 79-01-6) | STEL | 25 ppm |
|                                 | TWA  | 10 ppm |

#### Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

| Components                      | Type | Value  |
|---------------------------------|------|--------|
| Trichloroethylene (CAS 79-01-6) | STEL | 25 ppm |
|                                 | TWA  | 10 ppm |

#### Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment)

| Components                      | Type | Value      |
|---------------------------------|------|------------|
| Trichloroethylene (CAS 79-01-6) | STEL | 1070 mg/m3 |
|                                 | TWA  | 200 ppm    |
|                                 |      | 269 mg/m3  |
|                                 |      | 50 ppm     |

## Biological limit values

### ACGIH Biological Exposure Indices

| Components                      | Value    | Determinant                          | Specimen | Sampling Time |
|---------------------------------|----------|--------------------------------------|----------|---------------|
| Trichloroethylene (CAS 79-01-6) | 15 mg/l  | Trichloroacetic acid                 | Urine    | *             |
|                                 | 0.5 mg/l | Trichloroethanol, without hydrolysis | Blood    | *             |

\* - For sampling details, please see the source document.

### Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

### Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

#### Skin protection

**Hand protection** Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove supplier.

**Other** Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

**Respiratory protection** If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an air-supplied respirator.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

### General hygiene considerations

Observe any medical surveillance requirements. When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## 9. Physical and chemical properties

### Appearance

**Physical state** Gas.

**Form** Aerosol.

**Color** Not available.

**Odor** Not available.

**Odor threshold** Not available.

**pH** Not available.

**Melting point/freezing point** Not available.

**Initial boiling point and boiling range** 194 °F (90 °C) estimated

**Flash point** -156.0 °F (-104.4 °C) Propellant estimated

**Evaporation rate** Not available.

**Flammability (solid, gas)** Not available.

### Upper/lower flammability or explosive limits

**Flammability limit - lower (%)** 6.7 % estimated

**Flammability limit - upper (%)** 43.8 % estimated

**Explosive limit - lower (%)** Not available.

**Explosive limit - upper (%)** Not available.

**Vapor pressure** 45 - 55 psig @70F estimated

**Vapor density** Not available.

**Relative density** Not available.

### Solubility(ies)

**Solubility (water)** Not available.

|  |                                 |
|--|---------------------------------|
| <b>Partition coefficient (n-octanol/water)</b> | Not available.                  |
| <b>Auto-ignition temperature</b>               | 779.98 °F (415.55 °C) estimated |
| <b>Decomposition temperature</b>               | Not available.                  |
| <b>Viscosity</b>                               | Not available.                  |
| <b>Other information</b>                       |                                 |
| <b>Explosive properties</b>                    | Not explosive.                  |
| <b>Oxidizing properties</b>                    | Not oxidizing.                  |
| <b>Specific gravity</b>                        | 0.826 estimated                 |

## 10. Stability and reactivity

|   |   |
|---|---|
| <b>Reactivity</b>                         | The product is stable and non-reactive under normal conditions of use, storage and transport. |
| <b>Chemical stability</b>                 | Material is stable under normal conditions.   |
| <b>Possibility of hazardous reactions</b> | Hazardous polymerization does not occur.  |
| <b>Conditions to avoid</b>                | Avoid temperatures exceeding the flash point. Contact with incompatible materials.            |
| <b>Incompatible materials</b>             | Strong oxidizing agents. Nitrates. Fluorine. Chlorine.  |
| <b>Hazardous decomposition products</b>   | No hazardous decomposition products are known.  |

## 11. Toxicological information

### Information on likely routes of exposure

|                     |   |
|---------------------|---|
| <b>Inhalation</b>   | May cause drowsiness and dizziness. Headache. Nausea, vomiting. |
| <b>Skin contact</b> | Causes skin irritation.   |
| <b>Eye contact</b>  | Causes serious eye irritation.                                  |
| <b>Ingestion</b>    | Expected to be a low ingestion hazard.                          |

|   |  |
|---|--|
| <b>Symptoms related to the physical, chemical and toxicological characteristics</b> | May cause drowsiness and dizziness. Headache. Nausea, vomiting. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. |
|---|--|

### Information on toxicological effects

|                       |                   |
|-----------------------|-------------------|
| <b>Acute toxicity</b> | Narcotic effects. |
|-----------------------|-------------------|

| Components                        | Species                 | Test Results  |
|-----------------------------------|-------------------------|---|
| 1,2-Butylene Oxide (CAS 106-88-7) |                         |   |
| <b><u>Acute</u></b>               |                         |   |
| <b>Dermal</b>                     |                         |   |
| LD50                              | Rabbit                  | 1500 - 2950 mg/kg, 24 Hours<br>1.77 ml/kg, 24 Hours |
| <b>Inhalation</b>                 |                         |   |
| <i>Vapor</i>                      |                         |   |
| LC50                              | Rat                     | > 6.3 mg/l  |
| <b>Oral</b>                       |                         |   |
| LD50                              | Rat                     | 1 - 1.58 mg/kg<br>1100 µl/kg<br>1.3 ml/kg           |
| Trichloroethylene (CAS 79-01-6)   |                         |   |
| <b><u>Acute</u></b>               |                         |   |
| <b>Dermal</b>                     |                         |   |
| LD50                              | Rat                     | 19031 mg/kg   |
| <b>Inhalation</b>                 |                         |   |
| LC50                              | Dog; Mouse; Rabbit; Rat | 8450 ppm, 4 Hours                                   |
|                                   | Rat                     | 12500 ppm, 4 Hours                                  |
|                                   |                         | 1044 mg/l/4h  |

| Components   | Species  | Test Results |
|--|--|--------------|
| <b>Oral</b><br>LD50  | Dog; Mouse; Rat  | 2900 mg/kg   |
| * Estimates for product may be based on additional component data not shown. |  |              |
| <b>Skin corrosion/irritation</b>   | Causes skin irritation.  |              |
| <b>Serious eye damage/eye irritation</b>                                     | Causes serious eye irritation.   |              |
| <b>Respiratory or skin sensitization</b>                                     |  |              |
| <b>Respiratory sensitization</b>   | Not a respiratory sensitizer.  |              |
| <b>Skin sensitization</b>  | This product is not expected to cause skin sensitization.                    |              |
| <b>Germ cell mutagenicity</b>  | Suspected of causing genetic defects.  |              |
| <b>Carcinogenicity</b>   | May cause cancer.  |              |
| <b>ACGIH Carcinogens</b>   |  |              |
| Trichloroethylene (CAS 79-01-6)  | A2 Suspected human carcinogen.   |              |
| <b>Canada - Manitoba OELs: carcinogenicity</b>                               |  |              |
| TRICHLOROETHYLENE (CAS 79-01-6)  | Suspected human carcinogen.  |              |
| <b>IARC Monographs. Overall Evaluation of Carcinogenicity</b>                |  |              |
| 1,2-Butylene Oxide (CAS 106-88-7)  | 2B Possibly carcinogenic to humans.  |              |
| Trichloroethylene (CAS 79-01-6)  | If <1L: Consumer Commodity Carcinogenic to humans.                           |              |
| <b>Reproductive toxicity</b>   | This product is not expected to cause reproductive or developmental effects. |              |
| <b>Specific target organ toxicity - single exposure</b>                      | May cause drowsiness and dizziness.  |              |
| <b>Specific target organ toxicity - repeated exposure</b>                    | Not classified.  |              |
| <b>Aspiration hazard</b>   | Not likely, due to the form of the product.                                  |              |
| <b>Chronic effects</b>   | Prolonged exposure may cause chronic effects.                                |              |

## 12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

| Product                                  | Species |                                | Test Results                     |
|--|---------|--------------------------------|----------------------------------|
| 11 OZ 0308-NL79211 BELT DRESSING NL 12PK |         |                                |                                  |
| Aquatic                                  |         |                                |                                  |
| Crustacea                                | EC50    | Daphnia                        | 6.143 mg/L, 48 Hours estimated   |
| Fish                                     | LC50    | Fish                           | 144.4846 ppm, 96 hours estimated |
| Components                               | Species |                                | Test Results                     |
| 1,2-Butylene Oxide (CAS 106-88-7)        |         |                                |                                  |
| Aquatic                                  |         |                                |                                  |
| Algae                                    | IC50    | Algae                          | 500 mg/L, 72 Hours               |
| Crustacea                                | EC50    | Daphnia                        | 69.8 mg/L, 48 Hours              |
| Fish                                     | LC50    | Fish                           | 160, 96 Hours                    |
| Trichloroethylene (CAS 79-01-6)          |         |                                |                                  |
| Aquatic                                  |         |                                |                                  |
| Crustacea                                | EC50    | Daphnia                        | 2.2 mg/L, 48 Hours               |
| Fish                                     | LC50    | Fish                           | 40.8933, 96 Hours                |
|  |         | Flagfish (Jordanella floridae) | 3.1 mg/l, 96 hours               |

\* Estimates for product may be based on additional component data not shown.

**Persistence and degradability** No data is available on the degradability of this product.

### Bioaccumulative potential

#### Partition coefficient n-octanol / water (log Kow)

Trichloroethylene 2.61

|                              |   |
|------------------------------|---|
| <b>Mobility in soil</b>      | No data available.  |
| <b>Other adverse effects</b> | No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. |

### 13. Disposal considerations

|  |   |
|--|---|
| <b>Disposal instructions</b>                 | Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents under pressure. Do not puncture, incinerate or crush. Dispose of contents/container in accordance with local/regional/national/international regulations. |
| <b>Local disposal regulations</b>            | Dispose in accordance with all applicable regulations.  |
| <b>Hazardous waste code</b>                  | The waste code should be assigned in discussion between the user, the producer and the waste disposal company.  |
| <b>Waste from residues / unused products</b> | Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).  |
| <b>Contaminated packaging</b>                | Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.              |

### 14. Transport information

#### TDG

|                                     |   |
|-------------------------------------|---|
| <b>UN number</b>                    | UN1950  |
| <b>UN proper shipping name</b>      | AEROSOLS, flammable   |
| <b>Transport hazard class(es)</b>   |   |
| <b>Class</b>                        | 2.1   |
| <b>Subsidiary risk</b>              | -   |
| <b>Packing group</b>                | Not applicable.   |
| <b>Environmental hazards</b>        | D   |
| <b>Special precautions for user</b> | Read safety instructions, SDS and emergency procedures before handling. |

#### IATA


|                                     |   |
|-------------------------------------|---|
| <b>UN number</b>                    | UN1950  |
| <b>UN proper shipping name</b>      | Aerosols, flammable   |
| <b>Transport hazard class(es)</b>   |   |
| <b>Class</b>                        | 2.1   |
| <b>Subsidiary risk</b>              | 6.1(PGIII)  |
| <b>Label(s)</b>                     | 2.1, 6.1  |
| <b>Packing group</b>                | Not applicable.   |
| <b>Environmental hazards</b>        | No.   |
| <b>ERG Code</b>                     | 10L   |
| <b>Special precautions for user</b> | Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling. |
| <b>Other information</b>            |   |
| <b>Passenger and cargo aircraft</b> | Allowed with restrictions.  |
| <b>Cargo aircraft only</b>          | Allowed with restrictions.  |

#### IMDG

|                                     |   |
|-------------------------------------|---|
| <b>UN number</b>                    | UN1950  |
| <b>UN proper shipping name</b>      | AEROSOLS  |
| <b>Transport hazard class(es)</b>   |   |
| <b>Class</b>                        | 2.1   |
| <b>Subsidiary risk</b>              | 6.1(PGIII)  |
| <b>Label(s)</b>                     | 2.1, 6.1  |
| <b>Packing group</b>                | Not applicable.   |
| <b>Environmental hazards</b>        |   |
| <b>Marine pollutant</b>             | No.   |
| <b>EmS</b>                          | F-D, S-U  |
| <b>Special precautions for user</b> | Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling. |

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable.

IATA; IMDG



TDG



## 15. Regulatory information

### Canadian regulations

#### Controlled Drugs and Substances Act

Not regulated.

#### Export Control List (CEPA 1999, Schedule 3)

Not listed.

#### Greenhouse Gases

Not listed.

#### Precursor Control Regulations

Not regulated.

### International regulations

#### Stockholm Convention

Not applicable.

#### Rotterdam Convention

Not applicable.

#### Kyoto protocol

Not applicable.

#### Montreal Protocol

Not applicable.

#### Basel Convention

Not applicable.

### International Inventories

| Country(s) or region | Inventory name   | On inventory (yes/no)* |
|----------------------|--|------------------------|
| Australia            | Australian Inventory of Chemical Substances (AICS)                     | Yes                    |
| Canada               | Domestic Substances List (DSL)   | Yes                    |
| Canada               | Non-Domestic Substances List (NDSL)                                    | No                     |
| China                | Inventory of Existing Chemical Substances in China (IECSC)             | Yes                    |
| Europe               | European Inventory of Existing Commercial Chemical Substances (EINECS) | No                     |
| Europe               | European List of Notified Chemical Substances (ELINCS)                 | No                     |
| Japan                | Inventory of Existing and New Chemical Substances (ENCS)               | Yes                    |
| Korea                | Existing Chemicals List (ECL)  | Yes                    |
| New Zealand          | New Zealand Inventory  | No                     |
| Philippines          | Philippine Inventory of Chemicals and Chemical Substances (PICCS)      | Yes                    |

| Country(s) or region        | Inventory name                                | On inventory (yes/no)* |
|-----------------------------|---|------------------------|
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes                    |

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)  
A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other Information

**Issue date** 02-14-2018

**Version #** 01

**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**Revision information** Product and Company Identification: Alternate Trade Names